

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/276270922>

EVALUATING QUANTITY AND QUALITY OF OUTDOOR ADVERTISING MEDIA FOR HEALTH INFORMATION IN A NORTHERN CITY OF INDIA

Article · January 2015

CITATION

1

READS

301

4 authors:



Sonika Goel

Postgraduate Institute of Medical Education and Research

28 PUBLICATIONS 68 CITATIONS

[SEE PROFILE](#)



Vijay Lakshmi Sharma

Panjab University

102 PUBLICATIONS 385 CITATIONS

[SEE PROFILE](#)



Amarjeet Singh

Postgraduate Institute of Medical Education and Research

262 PUBLICATIONS 1,216 CITATIONS

[SEE PROFILE](#)



Sonu Goel

Postgraduate Institute of Medical Education and Research

173 PUBLICATIONS 497 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:



Development and Evaluation of Comprehensive Epilepsy Education Programme for Chandigarh City, India. [View project](#)



Evaluation of Janani Suraksha Yojana Scheme in improving the proportion of institutional delivery in U.T Chandigarh. [View project](#)



RESEARCH ARTICLE

EVALUATING QUANTITY AND QUALITY OF OUTDOOR ADVERTISING MEDIA FOR HEALTH INFORMATION IN A NORTHERN CITY OF INDIA

Sonika Raj¹, Vijay Lakshmi Sharma², Amarjeet Singh³ and Sonu Goel⁴

^{1,2} Centre for Public Health, Panjab University, Chandigarh, India

^{3,4} School of Public Health, Post Graduate Institute of Medical Education and Research, Chandigarh, India

ARTICLE INFO

Article History:

Received 5th, November, 2014

Received in revised form 12th, November, 2014

Accepted 6th, December, 2014

Published online 28th, December, 2014

Key words:

Outdoor Advertising Media, Health Information, Social marketing, Health Literacy

ABSTRACT

Introduction: Outdoor advertising media (OAM) like billboards/hoardings, posters is a social marketing method which has currently been largely used by healthcare industry. The information provided on OAM catches public attention and creates a memorable impression very quickly. Strategically developed and positioned billboards can deliver health information to thousands of people every day.

Objective: To evaluate the quality and quantity of OAM for health information in a Northern city of India.

Methods: This cross sectional study was carried out in Chandigarh in November, 2013. A total of 30 sites (bus stands, railway station, roundabouts, dispensaries, petrol pumps, bus stops) were visited and all the OAM for health information were assessed for quality. The quality was assessed using a pre-structured observational checklist. The checklist covered domains of language, content, format and reliability. Data was entered and analyzed descriptively by using SPSS-16.

Results: Ninety six OAM were found. More than half (51%) of them were in English. Most of these health information materials were strategically located, coloured and provided by government agencies. OAM covered all sort of topics ranging from general health, water sanitation and hygiene, Communicable and Non Communicable Diseases. The mean scores of language, content, format and reliability were 4.6, 3.1, 5.9 and 0.7 respectively. Majority (77%) scored average and only 22.9% materials scored high on quality.

Conclusion & Recommendations: The quality of outdoor advertising media for health information was found to be average. Careful planning in designing and placing OAM at strategic locations can maximize their potential in raising health awareness among general masses.

© Copy Right, IJRSR, 2014, Academic Journals. All rights reserved.

INTRODUCTION

Health literacy is defined as the capacity to obtain, process and understand basic health information and services needed to make appropriate health decisions.¹ Health literacy is a critical factor in accessing health information and empowering people to take charge of their health.² It has been documented that general populations have limited health literacy both in developing and developed nations.^{3, 4} In addition to this, people in developing world are passive information seekers i.e. they accidentally receive information from sources like watching or listening to TV and radio advertisements, without any intention to act on the information given.⁵ Social marketing is a time tested technique to raise health awareness among general public.⁶ Social marketing is the application of proven concepts and techniques drawn from the commercial sector to promote

changes in diverse socially important behaviors such as drug use, smoking, sexual behavior. This marketing approach has an immense potential to affect major social problems.⁷ Social marketing is a way of communicating with audiences in quicker and more creative ways. Social marketing is widely used to influence health behaviour. It uses health communication strategies based on mass media like radio, TV, internet, outdoor advertising, newsletters, newspapers and magazines.⁸ They can play an important role in disseminating information to general public in shorter duration of time. Freimut *et al.* (1984) have shown that many people rely on the mass media channels for their health-related information.⁹ A systematic review by Grilli *et al.*, (2002) supported the view that mass media campaigns have a positive influence on health services utilization.¹⁰ Various studies have shown that individuals who learn health information from mass media

*Corresponding author: **Sonika Raj**

Centre for Public Health, Panjab University, Chandigarh, India

channels are more health oriented than individuals who do not learn health information from it.^{11, 12}

Outdoor advertising media (OAM) like billboards/ hoardings, posters is a social marketing method which has currently been largely used by healthcare industry.¹³ Outdoor advertising communicates information to public when they are on the go, in transit (during travelling) and waiting (like sitting in a medical clinic).¹⁴ The information provided on billboards, hoardings and posters catches public attention and creates a memorable impression very quickly. Billboards also influence choice and play a significant reminder and reinforces message.¹⁵ Outdoor advertising campaign presents messages, 24 hours per day, seven days per week.¹⁶ Strategically developed and positioned billboards can deliver health messages to thousands of people every day. According to Outdoor Advertising Association of America (OAAA), the cost of reaching 1,000 members of a targeted population through OAM is lowest for billboards.^{16, 17} Studies have shown that that billboard advertisements are noticed, favorably viewed by patients and are highly effective across the sequence of steps that consumers travel from initial awareness toward making a decision.^{15, 18} It also reinforces health information messages of TV and radio when people are away from their homes.¹⁶

Many studies have been conducted regarding the quality of health information on mass media channels like television, newspaper, leaflets, websites.¹⁹⁻²²⁰ However, quantity and quality of OAM like billboard/hoardings and posters in health promotion are least studied.^{23, 24} In the present study we intend to evaluate the quality and quantity of OAM for health information in a Northern city of India.

Methods: This cross sectional study was carried out in Union Territory of Chandigarh in November, 2013. The study area is located in Northern part of India and has a population of around 1.1 million. There are 23 villages (rural) and 26 municipal wards (urban) in Chandigarh. Around 90% of its population resides in urban area.

A total of 30 sites (bus stands, railway station, roundabouts, dispensaries, petrol pumps, bus stops) were visited and all the OAM for health were assessed for quality. For the purpose of study, billboards and hoardings were taken as panels on which health related messages were displayed on public places to raise awareness among general masses. Posters were considered as those where health messages were printed or painted on a sheet of paper. The quality was assessed using a pre-structured observational checklist.²⁵ The checklist covered domains of language, content, format and reliability. The checklist was modified and pilot tested on five information materials of different category.

The maximum attainable score assigned for an OAM was 21 (Language=6, Content=5, Format=9, Reliability=1). In domain of language, focus was on short and simple words, short sentences, written in active voice and usage of non scientific language. In the content, the information should be relevant to users, appropriate usage of numbers and percentages, limited numbers of messages delivered, and pictures /photographs clearly labeled. The format should be conducive to reading and comprehension with short line length, usage of bullets, fewer words, dark text on light background and large consistent font. Reliability was assessed based upon mentioning of source of

information. Prior clearance from Institute Ethics Committee was obtained. Data was entered and analyzed using IBM Statistical Package for Social Science-version- 16 (SPSS-16) and analyzed descriptively (i.e., frequency, mean, standard deviation, range, and percentages).

Results: A total of 30 sites were visited and 96 outdoor advertising media (hoardings/ billboards/posters) were found. The mean number of outdoor advertising media were maximum at bus stand (14.5) followed by dispensaries (5). More than half (51%) of them were in English. Most of these health information materials were strategically located, coloured, with photographs and provided by government agencies (Table-1). These OAM covered all sort of topics ranging from general health, water sanitation and hygiene, Communicable diseases (dengue, malaria, tuberculosis) and Non Communicable Diseases (NCDs). They also covered specific target groups like mothers ((immunization, breast feeding, programmes like Janani Suraksha Yojna (Mother Safety Scheme), Janani Shishu Suraksha Karaykaram (Mother and Child Health Program)), adolescents (no smoking and effects of drug) and adults (HIV/AIDS awareness) (Table 2).

Table 3 shows the mean quality assessment score of OAM for health information. The mean scores of language, content, format and reliability were 4.6, 3.1, 5.9 and 0.7 respectively. Numbers and percentages were not appropriate (e.g., 1 in 10 instead of 10 percent) and technical or scientific words were used in high proportion of OAM. Majority of the materials (77%) scored average and 22.9% materials scored high on quality (Table-4). The mean score of government and private sponsored materials was found to be 14.3 and 13.8 respectively with no significant differences. The figure 1 shows the type of health information OAM assessed in the study.

Table1 Characteristics of outdoor advertising media for health information in the study

Characteristics	n(N=96)	%
Sites(N)		
Bus Stand(Sec17, 43)	29	30.2
Bus stops(7)	6	6.3
Dispensaries(7)	35	36.5
Railway station	4	4.2
Petrol Pumps(7)	16	16.7
Roundabouts(6)	6	6.3
Type		
Hoardings/billboards	71	74.0
Posters	25	26.0
Language		
English	49	51.0
Hindi	43	44.8
Punjabi	4	4.2
Strategic Location		
Yes	65	67.7
No	31	32.3
Visibility		
Yes	73	76.0
No	23	24.0
Colour		
Coloured	89	92.7
Black & White	7	7.3
Photographs		
Yes	72	75.0
No	24	25.0
Provider		
Government	79	82.3
Private	10	10.4
Not mentioned	7	7.3

Table2 Topics covered in outdoor advertising media for health information in the study

Sites(n=30)	Topics
Bus Stands(2)	No smoking signage, Drugs are injurious to health, Awareness about HIV/AIDS, DOTS and Tuberculosis
Bus stops(7)	Save the girl child , No smoking signages, Water sanitation and hygiene
Dispensaries(7)	Stagnant water breeding ground for mosquitoes ,Awareness about HIV/AIDS, female foeticide, ICTC counseling, DOTS and Tuberculosis, NCDs, Breast feeding, Immunization, <i>Janani Suraksha Yojna</i> , Ambulance Services, balanced diet, general health awareness, <i>Janani Shishu Swasthya karaykaram</i> , awareness of Malaria and Dengue
Railway station(1)	No smoking signage, Save the girl child, Awareness about HIV/AIDS,
Petrol Pumps(7)	No smoking signage, First aid, DOTS and Tuberculosis, Water sanitation and hygiene
Roundabouts(6)	Stagnant water breeding ground for mosquitoes, Awareness about HIV/AIDS,

Table3 Mean Quality assessment Score of outdoor advertising media for health information

Domains of QAS(maximum score)	Mean Scores(SD)	Range
Language (6)	4.6(0.8)	3-6
Content (5)	3.1(0.8)	2-5
Format (9)	5.9(1.5)	3-8
Reliability(1)	0.7(0.4)	0-1
Total Score(21)	14.3(1.8)	10-17

Table4 Quality assessment Score of outdoor advertising media for health information

Quality assessment Score	n(N=96)
Average(8-14)	74(77.1%)
High(15-21)	22(22.9%)

* no health information material was in 'low score' category.

The present study found that the quality of most of these OAM was of medium quality. The findings cannot be compared with other studies as this is the first one to examine the quality of OAM for health information. However, many studies have been conducted on the quality of health information on other mass media channels wherein, they have showed that the quality of most of the patient written and audio-visual information materials was incomplete, inaccurate, out of date , technical and are not suitable for shared decision-making by patients.³¹ Wilson *et al.*, 2009 showed that the overall quality of medical reporting by current affairs television programs was of poor quality.³² A similar study by Iaboli *et al.*(2010) found that the quality of the health information on newspaper and magazines was poor.³³

The study found that numbers and percentages were not presented appropriately and technical/scientific words were used in high proportion of OAM. The mean quality score was not found to be significantly associated with the type of health care provider (government or private). Similar results were found in a study wherein, the health information materials scored reasonably well on clarity of structure, layout and information on the date of publication. The mean range of scores was similar for all provider types (public, commercial and voluntary) with no significant differences. However, a high proportion of materials failed to disclose their evidence sources.³⁴ A study by Patil *et al.*, 2001 suggested that medical terms were used in majority of the leaflets provided with the medicines.³⁵

This study provides pilot data on quantity and quality of this media and more studies with a larger sample size are needed to further evaluate quality of OAM for health. Other strengths to this study are the usage of standardized measures to assess the outcomes. However, an important limitation of the study is that the materials chosen for review was selected from a city, therefore the results cannot be generalized.

Conclusion & Recommendations

The study concluded that quality of outdoor advertising media for health information was found to be average based on a standardized scoring sheet. Numbers and percentages were not appropriate and technical words were used in high proportion of OAM. This is the first study of its kind and further research on OAM is needed in other healthcare service contexts. With careful planning in designing and placing them at strategic locations, health and media professionals can maximize their potential in raising health awareness among general masses.

References

1. Ad Hoc Committee on Health Literacy. Health literacy: report of the Council on Scientific Affairs, American Medical Association. Journal of the American Medical Association.1999; 281:552–557.



Figure 1 Photographs of billboards assessed in the study

Billboard providing information about mosquito borne diseases

DISCUSSION

Outdoor advertising is the oldest form of advertising. The physical, visual nature of an outdoor holding enables permanent visual presence between bursts of other media. This makes outdoor advertising an ideal medium to use in conjunction with other media to maximize effect.²⁶ This power of outdoor advertising media (OAM) has been used lately by healthcare media professionals for health promotion. Outdoor advertising has been documented to be used quite often in promoting health-negating messages and products such as alcohol consumption and smoking cessation.^{27,28} A study by Fortenberry *et al.* (2010) has showed that 70% of the respondents were in favour of billboards for marketing healthcare services.¹⁵ On the other side, outdoor advertising can also cause undesirable effects such as degradation of environment (thousands of trees are cut to place and improve view of billboards), aesthetic damage (by roadside clutter) and endangering health and safety (distraction of drivers leading to accidents).^{29, 30} Literature on OAM for health information is of great importance for health and media professionals so as to make judicious decisions regarding their use.

2. All about outdoor.com. Accessed from http://allaboutoutdoor.com/Why_use_outdoor.html. on November 2, 2014.
3. Andreasen A. Marketing social change. San Francisco, CA: Jossey-Bass, 1995.
4. Ashoorkhani M, Gholami J, Maleki K, Nedjat S, Mortazavi J, Majdzadeh R. Quality of health news disseminated in the print media in developing countries: a case study in Iran. *BMC Public Health*. 2012;12:627 doi:10.1186/1471-2458-12-627
5. Berkowitz EN. Essentials of Health Care Marketing, 2nd ed. Sudbury, MA: Jones and Bartlett.2006
6. Berland GK, Elliott MN, Morales LS, Algazy JI, Kravitz RL, Broder MS, Kanouse DE, Kanouse DE, Muñoz JA, Puyol JA, Lara M, Watkins KE, Yang H, Mc Glynn EA .Health Information on the Internet Accessibility, Quality, and Readability in English and Spanish. *JAMA*.2001; 285(20):2612-2621. doi:10.1001/jama.285.20.2612.
7. Coulter A, Ellins J, Swain D, Clarke A, Heron P, *et al*. Oxford: Picker Institute Europe. Assessing the quality of information to support people in making decisions about their health and healthcare .2006. Accessed from <http://www.pickereurope.org/Filestore/Publications/Health-information-quality-web-version-FINAL.pdf>. on 13 January, 2013.
8. Coulter A, Entwistle V, Gilbert D. Sharing decisions with patients: is the information good enough? *British Medical Journal*.1999; 318: 318-322.
9. Dutta MJ. Health Information Processing From Television: The Role of Health Orientation, *Health Communication*.2007; 21(1):1-9.doi:10.1080/10410230701283256
10. Eichner J, Dullabh P. Accessible Health Information Technology (Health IT) for Populations With Limited Literacy: A Guide for Developers and Purchasers of Health IT. (Prepared by the National Opinion Research Center for the National Resource Center for Health IT). AHRQ Publication No. 08-0010-EF. Rockville, MD: Agency for Healthcare Research and Quality. October 2007.
11. Fortenberry JL. Is billboard advertising beneficial for healthcare organizations? An investigation of efficacy and acceptability to patients. *Journal of Healthcare Management*. 2010; 55(2).
12. Freimuth Vicki S, Greenberg Rachel H, DeWitt Jean, Romano Rose Mary. Covering Cancer: Newspapers and the Public Interest. *Journal of Communication*.1984; 34: 62-73.
13. Grilli R, Ramsay C, Minozzi S. Massmedia interventions: effects on health services utilisation. *Cochrane Database of Systematic Reviews* 2002; 1.doi: 10.1002/14651858.CD000389.
14. Iaboli L, Caselli L, Filice A, Russi G, Belletti E. The Unbearable Lightness of Health Science Reporting: A Week Examining Italian Print Media. *PLoS ONE*.2010;5(3):e9829. doi:10.1371/journal.pone.0009829.
15. Kutner M, Greenberg E, Yin J, Paulsen C, White S. The health literacy of America's adults: Results from the 2003 national assessment of adult literacy. Washington, DC: US Department of Education.2006.
16. Kwate NOA, Jernigan M, Lee TH. Prevalence, proximity, and predictors of alcohol ads in Central Harlem. *Alcohol Alcohol*. 2007; 42(6): 635–640.
17. Laible M. Changeable Message Signs: A Technology Whose Time Has Come." *Journal of Public Policy and Marketing*.1997; 16: 173-75.
18. Lamtey PR, Price JE. Social marketing sexually transmitted disease and HIV prevention: A consumer-centered approach to achieving behavior change. *AIDS* 1998; 12(suppl 2):S1–S9
19. Lesser LI, Zimmerman FJ, Cohen DA. Outdoor advertising, obesity, and soda consumption: a cross-sectional study. *BMC Public Health*. 2013;13:20. doi:10.1186/1471-2458-13-20.
20. Luke D, Esmundo E, Bloom Y. Smoke signs: patterns of tobacco billboard advertising in a metropolitan region. *Tob Control*. 2000; 9(1):16-23.
21. Moore H, Jones-Webb R, Toomey T, Lenk K. Alcohol advertising on billboards, transit shelters, and bus benches in inner-city neighborhoods. *Contemp Drug Problems*. 2009;35(2/3): 509–532.
22. Moriarty S, Mitchell N, Wells WD. Advertising: Principles and Practice, 8th ed. Upper Saddle River, NJ: Prentice Hall.2009.
23. Outdoor Advertising Association of America (OAAA). Accessed from www.oaaa.org/marketing/resources/default.aspx. on September 11, 2013
24. Patil MVK, Kandhare AD, Bhise SD, Bhale S. Evaluation of patient information leaflets on basis of consumer psychology and opinion. *International Journal of Pharmacy and Pharmaceutical Science Research*. 2011; 1 (2): 87-92 .
25. Robinson JP, Levy MR. News media use and the informed public: A 1990s update. *Journal of Communication*.1996; 46: 129-135.
26. Scott MM, Cohen DA, Schonlau M, Farley TA, Bluthenthal RN. Alcohol and tobacco marketing: evaluating compliance with outdoor advertising guidelines. *Am J Prev Med*. 2008; 35(3):203-9. doi: 10.1016/j.amepre.2008.05.026.
27. Smith FA, Trivax G, Zuehlke DA, Lowinger P, Nghiem TL. Health Information during a Week of Television. *N Engl J Med*.1972; 286:516-520.doi: 10.1056/NEJM197203092861005.
28. Tehrani Banihashemi SA, Haghdoost A, Alavian M, Asgharifard H, Baradaran H, Barghamdi M, *et al*. Health literacy in five province and relative effective factors. *Strides in Development of Medical Education, Journal of Medical Education Development Center of Kerman University of Medical Sciences*.2007; 1(4):1-9.
29. The truth about Billboards. Scenic America. Available from www.scenic.org/billboards on November 2, 2014.
30. Twomey C. An analysis of patient information leaflets supplied with medicines sold by pharmacists in the United Kingdom. *Libr Inf Res News*.2001; 25:3–12.
31. Using Social Media Marketing to Promote Physical Activity and Health and Wellness in Parks. National recreation and park organization. Accessed from http://www.nrpa.org/uploadedFiles/nrpaorg/Grants_and_Partners/Recreation_and_Health/Resources/Issue_Briefs/Social-Media.pdf on 21 January, 2014.

32. Vespe F. High Tech Billboards: The Same Old Litter on a Stick. *Journal of Public Policy and Marketing*.1997; 16:176-79.
33. Wilson A, Bonevski B, Jones A, Henry D. Media Reporting of Health Interventions: Signs of Improvement, but Major Problems Persist. *PLoS ONE*. 2009; 4(3): e4831. doi:10.1371/journal.pone.0004831.
34. Wilson TD. Human information behavior. *Informing Science*.2000; 3(2):49-56.
35. World Health Organization. Health promotion—Provisional agenda item 3.2, EB107/4-December 1, 2000. Accessed from http://www.who.int/gb/EB_WHA/PDF/EB107/ee4.pdf. on 31 January, 2012
